

Work Order ID 93051

November-13-12 2:24:12 PM

93051

Page 1

Item ID: D3849-5

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Plate

Start Date: 13/11/2012 Start Qty: 8.00

8

Cust Item ID:

Required Date: 27/11/2012 Req'd Qty: 8.00

8

Customer:

Reference:

Approvals:

Process Plan: ML5

Date: 12-11-13

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D3849

D

100

0.00

100

Waterjet

Memo

0.00

FLOW CNC Waterjet

1-Cut as per Dwg D3849

Dwg Rev: 0

Prog Rev: 0

2-Deburr if necessary

110

QC2- Inspect parts off machine FAI/FAIB

0.00

110

QC

Memo

0.00

Quality Control

8

0

Jm 12-11-16

8

0

Jm 12-11-16

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube <input type="checkbox"/></td> <td>Crosstube <input type="checkbox"/></td> <td>Water Jet <input type="checkbox"/></td> <td>Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data <input type="checkbox"/>									
Equip/Tooling <input type="checkbox"/>									
Operator <input type="checkbox"/>									
Material <input type="checkbox"/>									
Setup <input type="checkbox"/>									
Other <input type="checkbox"/>									
Process <input type="checkbox"/>									
Supplier <input type="checkbox"/>									
Training <input type="checkbox"/>									
Unapproved <input type="checkbox"/>									

FAULT CATEGORY

Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio	<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions
		<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge
		<input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other

Work Order ID 93051

November-13-12 2:24:12 PM

93051

Page 2

Item ID: D3849-5

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Plate

Start Date: 13/11/2012 Start Qty: 8.00

8

Cust Item ID:

Required Date: 27/11/2012 Req'd Qty: 8.00

8

Customer:

Reference:

Approvals: Process Plan:

Date:

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

120

QC8- Inspect parts - second check

0.00

120

QC

Memo

0.00

Quality Control

130

0.00

130

Brake NC

Memo

0.00

Brake NC

Form as per dwg using DT8179 & DT8155

210

QC5- Inspect part completeness to step on W/O

0.00

210

QC

Memo

0.00

Quality Control

DAS
15
12-11-19

DAS
15
12-11-20

8
12/11/20

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube <input type="checkbox"/></td> <td>Crosstube <input type="checkbox"/></td> <td>Water Jet <input type="checkbox"/></td> <td>Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data									
Equip/Tooling									
Operator									
Material									
Setup									
Other									
Process									
Supplier									
Training									
Unapproved									

FAULT CATEGORY

Landing Gear	General	Other
<input type="checkbox"/> Bending	<input type="checkbox"/> Bend	<input type="checkbox"/> Grain
<input type="checkbox"/> Centre Not Concentric to O/S	<input type="checkbox"/> BOM/Route	<input type="checkbox"/> Hardware
<input type="checkbox"/> Cracks	<input type="checkbox"/> Broken/Damaged	<input type="checkbox"/> Inspection Incomplete
<input type="checkbox"/> Crushed/Crimped	<input type="checkbox"/> Burrs	<input type="checkbox"/> Instructions Incomplete/Unclear
<input type="checkbox"/> Cuffs	<input type="checkbox"/> Contamination	<input type="checkbox"/> Maintenance
<input type="checkbox"/> Heat Treat	<input type="checkbox"/> Countersink	<input type="checkbox"/> Mislabelled
<input type="checkbox"/> Inspection Strip in Tube	<input type="checkbox"/> Cut Too Short	<input type="checkbox"/> Misread
<input type="checkbox"/> Ripples in Bend	<input type="checkbox"/> Drill Holes	<input type="checkbox"/> Offset
<input type="checkbox"/> Torque Waves in Extrusion	<input type="checkbox"/> Drawing	<input type="checkbox"/> Out of Calibration
<input type="checkbox"/> Turning Sequence	<input type="checkbox"/> Finish	<input type="checkbox"/> Out of Sequence
<input type="checkbox"/> Wave/Twist in Tube	<input type="checkbox"/> Folio	<input type="checkbox"/> Outside Dimensions
		<input type="checkbox"/> Ovalized
		<input type="checkbox"/> Over/Under tolerance
		<input type="checkbox"/> Part Incorrect
		<input type="checkbox"/> Part Lost/Missing
		<input type="checkbox"/> Part Moved
		<input type="checkbox"/> Positioned Wrong
		<input type="checkbox"/> Power Loss/Surge
		<input type="checkbox"/> Pressure/Forced
		<input type="checkbox"/> Temperature/Cure
		<input type="checkbox"/> Weld
		<input type="checkbox"/> Wrong Stock Pulled
		<input type="checkbox"/> Other

Work Order ID 93051

November-13-12 2:24:12 PM

93051

Page 3

Item ID: D3849-5

Revision ID:

Item Name: Plate

Start Date: 13/11/2012 Start Qty: 8.00

Required Date: 27/11/2012 Req'd Qty: 8.00

Reference:

Accept

N900040100

Setup Start ***NS1***

Stop ***NS2***

Cust Item ID:

Customer:

Approvals: Process Plan: Date:

QC: Date:

Tooling:

SPC (Y/N):

Date:

Date:

Run Start ***NR1***

Stop ***NR2***

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

220

Identify as per dwg & Stock Location: U/A

0.00

220

Packaging

Memo

0.00

Packaging

(x8)

12/11/20 MAL

230

QC21- Final Inspection - Work Order Release

0.00

230

QC

Memo

0.00

Quality Control

12/11/20 *[Signature]*

ME

12-11-20

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube <input type="checkbox"/></td> <td>Crosstube <input type="checkbox"/></td> <td>Water Jet <input type="checkbox"/></td> <td>Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data <input type="checkbox"/>									
Equip/Tooling <input type="checkbox"/>									
Operator <input type="checkbox"/>									
Material <input type="checkbox"/>									
Setup <input type="checkbox"/>									
Other <input type="checkbox"/>									
Process <input type="checkbox"/>									
Supplier <input type="checkbox"/>									
Training <input type="checkbox"/>									
Unapproved <input type="checkbox"/>									

FAULT CATEGORY

Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio	<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions
		<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge
		<input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other

Picklist Print

November-13-12 2:24:15 PM

Page 1

Work Order ID: 93051

93051

Parent Item: D3849-5

D3849-5

Parent Item Name: Plate

Start Date: 13/11/2012

Required Date: 27/11/2012

Start Qty: 8.00

Required Qty: 8.00

Comments: IPP Rev:A 12.09.11 AS PER DWG REV.D DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

M304S18GA

Purchased

No

100

sf

269.4149

4

33.68421

**

34

M304S18GA

304/316 .050 Sheet

Jm 12-11-16

Location

Loc Qty

Loc Code

MAT020

269.414947

121626

1.65

121660

11.000737

123155

45.56421

123372

19.2

123649

192

123649

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube <input type="checkbox"/></td> <td>Crosstube <input type="checkbox"/></td> <td>Water Jet <input type="checkbox"/></td> <td>Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data									
Equip/Tooling									
Operator									
Material									
Setup									
Other									
Process									
Supplier									
Training									
Unapproved									


FAULT CATEGORY


Landing Gear	General	Other
<input type="checkbox"/> Bending	<input type="checkbox"/> Bend	<input type="checkbox"/> Grain
<input type="checkbox"/> Centre Not Concentric to O/S	<input type="checkbox"/> BOM/Route	<input type="checkbox"/> Hardware
<input type="checkbox"/> Cracks	<input type="checkbox"/> Broken/Damaged	<input type="checkbox"/> Inspection Incomplete
<input type="checkbox"/> Crushed/Crimped	<input type="checkbox"/> Burrs	<input type="checkbox"/> Instructions Incomplete/Unclear
<input type="checkbox"/> Cuffs	<input type="checkbox"/> Contamination	<input type="checkbox"/> Maintenance
<input type="checkbox"/> Heat Treat	<input type="checkbox"/> Countersink	<input type="checkbox"/> Misabeled
<input type="checkbox"/> Inspection Strip in Tube	<input type="checkbox"/> Cut Too Short	<input type="checkbox"/> Misread
<input type="checkbox"/> Ripples in Bend	<input type="checkbox"/> Drill Holes	<input type="checkbox"/> Offset
<input type="checkbox"/> Torque Waves in Extrusion	<input type="checkbox"/> Drawing	<input type="checkbox"/> Out of Calibration
<input type="checkbox"/> Turning Sequence	<input type="checkbox"/> Finish	<input type="checkbox"/> Out of Sequence
<input type="checkbox"/> Wave/Twist in Tube	<input type="checkbox"/> Folio	<input type="checkbox"/> Outside Dimensions
		<input type="checkbox"/> Ovalized
		<input type="checkbox"/> Over/Under tolerance
		<input type="checkbox"/> Part Incorrect
		<input type="checkbox"/> Part Lost/Missing
		<input type="checkbox"/> Part Moved
		<input type="checkbox"/> Positioned Wrong
		<input type="checkbox"/> Power Loss/Surge
		<input type="checkbox"/> Pressure/Forced
		<input type="checkbox"/> Temperature/Cure
		<input type="checkbox"/> Weld
		<input type="checkbox"/> Wrong Stock Pulled
		<input type="checkbox"/> Other


DART AEROSPACE LTD		Work Order:	93051
Description: Wearplate		Part Number:	D3849-5
Inspection Dwg: D3849	Rev: D	Page 1 of 1	

FIRST ARTICLE INSPECTION CHECKLIST


Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø0.188	+0.005/-0.001	0.190"	-		V	Product 2
Ø0.375	+0.006/-0.001	0.377"	-		V	
0.125	+/-0.010	0.124"	-		V	
0.88	+/-0.030	0.883"	-		V	
0.75	+/-0.030	0.754"	-		V	
3.283	+/-0.010	3.280"	-		V	
2.433	+/-0.010	2.440"	-		V	
6.642	+/-0.010	6.646"	-		V	
7.72	+/-0.030	7.725"	-		V	
2.45	+/-0.030	2.45"	-		V	
18.712	+/-0.010	18.717"	-		T	Product 3
36.622	+/-0.010	36.622"	-		T	
62.788	+/-0.010	62.786"	-		T	
75.261	+/-0.010	75.261"	-		T	
7.00	+/-0.030	7.005"	-		V	
79.76	+/-0.030	79.76"	-		T	
0.050	+/-0.010	0.047"	-		V	

Measured by: Jm	Audited by: 	Preliminary Approval:
Date: 12-11-16	Date: 12/11/19	Date:


Rev	Date	Change	Revised by	Approved
A	09.09.15	New Issue P/O D3849-045	KJ	
B	12.09.26	Dimensions updated per Dwg Rev D	KJ	




D3849-041 FWD WEARPLATE ASSY, STD GEAR



D3849-043 AFT WEARPLATE ASSY, STD GEAR



D3849-045 AFT WEARPLATE ASSY, FLOAT GEAR



D3849-047 FWD WEARPLATE ASSY, FLOAT GEAR

ITEM	QTY -041	QTY -043	QTY -045	QTY -047	P/N	DESCRIPTION
1	X				D3849-041	FWD WEARPLATE ASSY, STD GEAR
2		X			D3849-043	AFT WEARPLATE ASSY, STD GEAR
3			X		D3849-045	AFT WEARPLATE ASSY, FLOAT GEAR
4				X	D3849-047	FWD WEARPLATE ASSY, FLOAT GEAR
11	1				D3849-1	PLATE
12		1			D3849-3	PLATE
13			1		D3849-5	PLATE
14				1	D3849-7	PLATE
15	1			1	D3901-1	BAR
16		2			D3901-3	BAR
17			2		D3901-5	BAR
21	A/R	A/R	A/R	A/R	2059B	HARDCOAT
22	A/R	A/R	A/R	A/R	4714	PLUS ONE ROCKGUARD

SHOE COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT



WITHOUT NOTICE
WORK ORDER

NO. 93051 MJS
12-11-13

RELEASED
2012-09-04


D	REVISED FLAT PATTERN - CHANGED SLOT LOCATIONS TO MATCH D3901-1/3/5 BARS (ZN B6-6, B3-6, B6-7, C2-7, B6-8, B2-8, B7-9, B2-9).	DC	12.08.23
C	REVISED FLAT PATTERN - CHANGE SLOT LOCATIONS. ADDED DOUBLE SLOTS AND D3901-3/5 BARS ON -043/-045. UPDATED DETAIL VIEWS. CHANGED WELD DETAILS (ZN B2-2). REMOVED D3849-1/3/5/7 GASKETS, ADD ROCKGUARD COATING, REMOVE FINISH.	DC	12.08.21
B	REVISED FLAT PATTERN Ø 0.375 WAS SLOT HOLE ON D3849-1F/3F/5F (ZN A4-5, B4-7, B4-8, C2-10, B2-10); ADD D3849-047 (ZN D4-1, A4-1 & B4-5) & D3849-7/7F (ZN C4-9, A4-9); ADD SECTION K-K (ZN C5-10); 0.88 WAS 0.875 & 0.44 WAS 0.438 (ZN A3-10); ADD 0.25 & 0.88 (ZN D4-10, D3-10); ADD 0.88 & 0.44 (ZN C3-10 & B3-10); ADD FLAG NOTE (ZN A8-2, C6-2, C3-2, A8-3, C6-3, C3-3, A8-4, C6-4, C2-4); 66.87 WAS 67.36 (ZN B4-7)	RF	09.06.30
A	NEW ISSUE	RF	09.03.30
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE USA, INC. KENT, WA	
DRAWN	DC		
CHECKED	RF	DRAWING NO.	REV. D
MFG. APPR.	RF	D3849	SHEET 1 OF 10
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	WEARPLATE ASSY	NTS
DATE	12.08.23	<small> COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC. </small>	

93051



SECTION A-A

C3-2

D3849-041 FWD WEARPLATE ASSY, STD/FLOAT GEAR

DETAIL B

C5-2


RELEASED
2012-09-04

NOTES:


- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1 AS SHOWN
- 7) WEIGHT: D3849-041 = 4.58 lbs
- 8) WELDING: PER QSI 004
- 9) 2059B HARDCOAT WELD, 0.32 THICK x 0.50 WIDE, FLUSH WITH D3901-1 BAR ON LATERAL SURFACES
- 10) COAT ENTIRE TOP (CONCAVE) SURFACE WITH A LAYER OF PLUS ONE ROCKGUARD 4714, 0.020-0.040 THICK
- 11) TRANSFER DRILL $\varnothing 0.188$ HOLES FROM D3849-1 PLATE TO D3901-1 BAR

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	DL	KENT, WA	
CHECKED	DL	DRAWING NO.	REV. D
MFG. APPR.	DL	D3849	SHEET 2 OF 10
APPROVED	DL	TITLE	SCALE
DE APPR.	DL	WEARPLATE ASSY	NTS
DATE	12.08.23	<small>COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS COVENANT THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

93051



D3849-043 AFT WEARPLATE ASSY, STD GEAR



SECTION C-C

C3-3


RELEASED
2012-09-04

NOTES:


- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1 AS SHOWN
- 7) WEIGHT: D3849-043 = 7.66 lbs
- 8) WELDING: PER QSI 004
- 9) 2059B HARDCOAT WELD, 0.32 THICK x 0.50 WIDE, FLUSH WITH D3901-3 BARS ON LATERAL SURFACES
- 10) COAT ENTIRE TOP (CONCAVE) SURFACE WITH A LAYER OF PLUS ONE ROCKGUARD 4714, 0.020-0.040 THICK
- 11) TRANSFER DRILL \varnothing 0.188 HOLES FROM D3849-3 PLATE TO D3901-3 BARS

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	DL	KENT, WA	
CHECKED	AS	DRAWING NO. D3849	REV. D
MFG. APPR.	AS	SHEET 3 OF 10	
APPROVED	AS	TITLE WEARPLATE ASSY	SCALE NTS
DE APPR.	AS	COPYRIGHT © 2009 BY DART AEROSPACE USA, INC.	
DATE	12.08.23	THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

93057



D3849-045 AFT WEARPLATE ASSY, FLOAT GEAR





SECTION D-D
C2-4

RELEASED
2012-09-04

- NOTES:**
- 1) MATERIAL: N/A
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1 AS SHOWN
 - 7) WEIGHT: D3849-045 = 8.93 lbs
 - 8) WELDING: PER QSI 004
 - 9) 2059B HARDCOAT WELD, 0.32 THICK x 0.50 WIDE, FLUSH WITH D3849-5 BARS ON LATERAL SURFACES
 - 10) COAT ENTIRE TOP (CONCAVE) SURFACE WITH A LAYER OF PLUS ONE ROCKGUARD 4714, 0.020-0.040 THICK
 - 11) TRANSFER DRILL $\varnothing 0.188$ HOLES FROM D3849-5 PLATE TO D3901-5 BARS

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	PL	KENT, WA	
CHECKED	AS	DRAWING NO.	REV. D
MFG. APPR.	AS	D3849	SHEET 4 OF 10
APPROVED	AS	TITLE	SCALE
DE APPR.	AS	WEARPLATE ASSY	NTS
DATE	12.08.23	<small>COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	




- 1) MATERIAL: N/A
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1 AS SHOWN
7) WEIGHT: D3849-047 = 4.60 lbs
8) WELDING: PER QSI 004
9) 2059B HARDCOAT WELD, 0.32 THICK x 0.50 WIDE, FLUSH WITH D3901-1 BAR ON LATERAL SURFACES
10) COAT ENTIRE TOP (CONCAVE) SURFACE WITH A LAYER OF PLUS ONE ROCKGUARD 4714, 0.020-0.040 THICK
11) TRANSFER DRILL .Ø0.188 HOLES FROM D3849-7 PLATE TO D3901-1 BAR


RELEASE
2012-09-04
md

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	<i>DF</i>	KENT, WA	
CHECKED	<i>DF</i>	DRAWING NO.	REV. D
MFG. APPR.	<i>DF</i>	D3849	SHEET 5 OF 10
APPROVED	<i>DF</i>	TITLE	SCALE
DE APPR.	<i>DF</i>	WEARPLATE ASSY	NTS
DATE - 12.08.23		<small> COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. --- THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION FROM DART AEROSPACE USA, INC. </small>	


93057



D3849-1 PLATE
(MAKE FROM D3849-1F)



D3849-1F FLAT PATTERN




DETAIL I

C2-6
B2-9


- NOTES:**
- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET PER AMS 5513 OR 5524 OR ASTM A240 OR ASME SA240 18 GAUGE 0.050 THICK, (REF. DART SPEC. M304S18GA)
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX.
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 2.30 lbs

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	DC	KENT, WA	
CHECKED	AS	DRAWING NO.	REV. D
MFG. APPR.	AS	D3849	SHEET 6 OF 10
APPROVED	AS	TITLE	SCALE
DE APPR.	AS	WEARPLATE ASSY	NTS
DATE	12:08:23	<small>COPYRIGHT © 2009 BY DART AEROSPACE USA, INC.</small> <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

D3849-3 PLATE
(MAKE FROM D3849-3F)




D3849-3F FLAT PATTERN



DETAIL J

C2-7
B2-8



DETAIL K

C5-7
B5-8

NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET PER AMS 5513 OR 5524 OR ASTM A240 OR ASME SA240 18 GAUGE 0.050 THICK, (REF. DART SPEC. M304S18GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 2.74 lbs

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	DC	KENT, WA	
CHECKED	AS	DRAWING NO.	REV. D
MFG. APPR.	AS	D3849	SHEET 7 OF 10
APPROVED	AS	TITLE	SCALE
DE APPR.	AS	WEARPLATE ASSY	NTS
DATE	12.08.23	<small>COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

RELEASED
2012-09-06
WHD

RELEASE
2012-09-04

1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET PER AMS 5513 OR 5524
OR ASTM A240 OR ASME SA240
18 GAUGE 0.050 THICK, (REF. DART SPEC. M304S18GA)

2) FINISH: NONE

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED


5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX

6) IDENTIFICATION: NONE


7) WEIGHT: 3.17 lbs

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	<i>BC</i>	KENT, WA	
CHECKED	<i>BC</i>	DRAWING NO.	REV. D
MFG. APPR.	<i>NS</i>	D3849	SHEET 8 OF 10
APPROVED	<i>BC</i>	TITLE	SCALE
DE APPR.	<i>BC</i>	WEARPLATE ASSY	NTS
DATE	12.08.23	COPYRIGHT © 2008 BY DART-AEROSPACE USA, INC. <small>THIS DOCUMENT IS PRINTED AND CONTAINED HEREIN IS THE PROPERTY OF DART-AEROSPACE USA, INC. IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR TRANSMITTED TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION OF DART-AEROSPACE USA, INC.</small>	

93051



D3849-7 PLATE
(MAKE FROM D3849-7F)




D3849-7F FLAT PATTERN

RELEASED
2012-09-04


- NOTES:**
- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET PER AMS 5513 OR 5524 OR ASTM A240 OR ASME SA240 18 GAUGE 0.050 THICK, (REF. DART SPEC. M304S18GA)
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX.
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 2.32 lbs

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	BC	KENT, WA	
CHECKED	JS	DRAWING NO. D3849	REV. D
MFG. APPR.	JS	SHEET 9 OF 10	
APPROVED	JS	TITLE WEARPLATE ASSY	SCALE NTS
DE APPR.	JS	COPYRIGHT © 2008 BY DART AEROSPACE USA, INC.	
DATE	12.08.23	THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	


93057




SECTION M-M
D2-9




SECTION F-F
D2-6
D2-7
D6-8



DETAIL G
SLOT DETAIL TYP
C4-6
C4-7
C4-8
C6-9



DETAIL H
SLOT DETAIL TYP
C3-6
83-9



DETAIL L
DETAIL TYP
B2-8

RELEASED
2012-09-04

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	DL	KENT, WA	
CHECKED	DL	DRAWING NO. D3849	REV. D
MFG. APPR.	DL	SHEET 10 OF 10	
APPROVED	DL	TITLE	SCALE
DE APPR.	DL	WEARPLATE ASSY	NTS
DATE	12.08.23	<small>COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR CHANGED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

